

**ICETECH**

IceBlast KG50



IceBlast KG30



IceBlast KG12



**ICETECH**  
DRY ICE BLAST EQUIPMENT

**ICEBLAST KG50 · KG30 · KG12**

Dry Ice Blasting







## TECHNICAL DATA

### KG50

**Dim. mm/inch**  
 Length: 700 / 27.5  
 Width: 550 / 21.6  
 Height: 900 / 35.4

### Weight

kg: 90  
 lbs: 198

### Dry Ice Capacity

kg: 50  
 lbs: 110

### Dry Ice Consumption

kg/h: 0-100  
 lbs/h: 0-220  
 infinitely adjustable

### Supply Pressure

bar: min. 5 - max. 16  
 psi: min. 72 - max. 232

### Blasting Pressure

bar: min. 2 - max. 16  
 psi: min. 29 - max. 232

### Air Consumption

m<sup>3</sup>: 3-11  
 cfm: 106 - 388  
 depending on nozzle  
 combination

### Compressed

#### Air Connection

1" claw coupling  
 The compressed air must be kept clean and free of oil, foreign bodies and water

### Power Consumption

110/230 V  
 AC 50-60 Hz  
 900 W  
 CEE 17 earthed

### Single Hose System

### Noise

Noise level 60-120 dB(A)  
 depending on blasting pressure, nozzle combination and material surface

### User-Friendly Control Display

### KG30

**Dim. mm/inch**  
 Length: 580 / 22.8  
 Width: 550 / 21.6  
 Height: 800 / 31.4

### Weight

kg: 85  
 lbs: 187

### Dry Ice Capacity

kg: 30  
 lbs: 66

### Dry Ice Consumption

kg/h: 0-100  
 lbs/h: 0-220  
 infinitely adjustable

### Supply Pressure

bar: min. 5 - max. 16  
 psi: min. 72 - max. 232

### Blasting Pressure

bar: min. 2 - max. 16  
 psi: min. 29 - max. 232

### Air Consumption

m<sup>3</sup>: 3-11  
 cfm: 106 - 388  
 depending on nozzle  
 combination

### Compressed

#### Air Connection

1" claw coupling  
 The compressed air must be kept clean and free of oil, foreign bodies and water

### Power Consumption

110/230 V  
 AC 50-60 Hz  
 900 W  
 CEE 17 earthed

### Single Hose System

### Noise

Noise level 60-120 dB(A)  
 depending on blasting pressure, nozzle combination and material surface

### User-Friendly Control Display

### KG12

**Dim. mm/inch**  
 Length: 530 / 20.8  
 Width: 550 / 21.6  
 Height: 700 / 27.5

### Weight

kg: 75  
 lbs: 165

### Dry Ice Capacity

kg: 12  
 lbs: 26

### Dry Ice Consumption

kg/h: 0-100  
 lbs/h: 0-220  
 infinitely adjustable

### Supply Pressure

bar: min. 5 - max. 10  
 psi: min. 72 - max. 145

### Blasting Pressure

bar: min. 2 - max. 10  
 psi: min. 29 - max. 145

### Air Consumption

m<sup>3</sup>: 3-11  
 cfm: 106 - 388  
 depending on nozzle  
 combination

### Compressed

#### Air Connection

3/4" claw coupling  
 The compressed air must be kept clean and free of oil, foreign bodies and water

### Power Consumption

110/230 V  
 AC 50-60 Hz  
 900 W  
 CEE 17 earthed

### Single Hose System

### Noise

Noise level 60-120 dB(A)  
 depending on blasting pressure, nozzle combination and material surface

### User-Friendly Control Display

**Head Office Denmark**  
**IceTech A/S**  
 Industrivej 37  
 DK-6740 Bramming  
 Phone: +45 76 56 15 00  
 Fax: +45 76 56 15 09  
 E-mail: icetech@icetech.dk  
 www.icetech.dk

**Head Office Germany**  
**IceTech Deutschland GmbH**  
 Industriestraße 11  
 DE-56598 Rheinbrohl  
 Phone: +49 (0) 2635 923 164  
 Fax: +49 (0) 2635 923 165  
 E-mail: icetech@icetech.dk  
 www.icetech-deutschland.de

**Head Office United States**  
**IceTech America Inc.**  
 8050 Beckett Center Drive  
 Suite 316  
 West Chester, Ohio 45069 USA  
 Phone: (+1) 513-942-4144  
 Fax: (+1) 513-942-4244  
 Toll free: (+1) 877-693-7073  
 E-mail: icetech@icetech-usa.com  
 www.icetech-usa.com

Distributor